

Patent 6,996,429

09/765 063

PATENT

copy

**IN UNITED STATES PATENT AND TRADEMARK OFFICE**

Patent No.: 6,996,429


Docket No: 1133.029US1

Issue Date: February 7, 2006

Patentee: Tony Yaksh et al.

Customer No.: 21186

Confirmation No.: 7717



**APPARATUS AND METHOD FOR DETECTING FLINCH RESPONSE TO NOCICEPTIVE AGENTS**

**REQUEST FOR CERTIFICATE OF CORRECTION**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450  
ATTN: CERTIFICATE OF CORRECTION BRANCH

**Certificate**

**MAR 06 2006**

**of Correction**

It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. Two copies of the text of the Certificate in the suggested form are enclosed.

**Pursuant to 1.20(a), enclosed please find a check in the amount of \$100.00.**

Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims as properly allowed, and re-examination is not required.

The Examiner is authorized to charge any additional fees or credit overpayment to Deposit Account No.19-0743.

Respectfully Submitted  
TONY YAKSH ET AL.  
By their Representatives,

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.  
P.O. Box 2938  
Minneapolis, MN 55402  
(612) 373-6900

Date:

February 23, 2006

By:

David W. Black  
Reg. No: 42,331  
DWB:mrl

CERTIFICATE UNDER 37 CFR § 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450, on this 24th day of February 2006

Michaela R. Lewellyn  
Name

Michaela Lewellyn  
Signature

03/02/2006 MAHMED1 00000004 6996429

01 FC:1811

100.00 OP

**MAR 8 2006**



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Tony Yaksh et al.

Examiner: Roy, Baisakhi

Patent No.: 6,996,429

Group Art Unit: 3737

Issue Date: February 7, 2006

Docket No: 1133.029US1

Title: APPARATUS AND METHOD FOR DETECTING FLINCH RESPONSE TO NOCICEPTIVE AGENTS


Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450  
ATTN: CERTIFICATE OF CORRECTION BRANCH

We are transmitting herewith the attached:

- ☒ A check in the amount of \$100.00 to cover the Certificate of Correction fee.
- ☒ Request for Certificate of Correction.
- ☒ Certificate of Correction Form - PTO-1050 (in duplicate)
- ☒ A return postcard.

**Please charge any additional fees or credit overpayment to Deposit Account No. 19-0743.**

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.  
Customer No: 21186

By:   
Name: David W. Black  
Reg. No. 42,331  
DWB:CMG:mrl

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner of Patents and Trademarks, P.O. Box 1450, Alexandria VA 22313-1450, on this 24th day of February 2006.

Michaela R. Lewellyn  
Name

Michaela R. Lewellyn  
Signature

2006

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.  
(Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,996,429

Page (1) of 1

DATED : February 7, 2006

INVENTOR(S) : Yaksh et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 22, line 37, in Claim 11, insert - - an - - before "electromagnetic".

In column 22, line 53, in Claim 11, delete "pertubations" and insert - - perturbations - -, therefor.

In column 22, lines 55-56, in Claim 11, after "irritant" delete ", measured response to the irritant." and insert - - . - -, therefor.

In column 24, lines 6-7, in Claim 12, after "irritant" delete ", measured response to the irritant." and insert - - . - -, therefor.

MAILING ADDRESS OF SENDER:

SCHWEGMAN, LUNDBERG, WOESSNER, & KLUTH, P.A.  
P.O. BOX 2938  
Minneapolis, MN 55402

Atty Docket No: 1133.029US1

PATENT NO. \_\_\_\_\_ 6,996,429 \_\_\_\_\_

No. of additional copies



2006

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

PATENT NO : 6,996,429

Page (1) of 1

DATED : February 7, 2006

INVENTOR(S) : Yaksh et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 22, line 37, in Claim 11, insert - - an - - before "electromagnetic".

In column 22, line 53, in Claim 11, delete “perturbations” and insert - - perturbations - -, therefor.

In column 22, lines 55-56, in Claim 11, after "irritant" delete ", measured response to the irritant." and insert - - . - - , therefor.

In column 24, lines 6-7, in Claim 12, after "irritant" delete ", measured response to the irritant." and insert - - . - -, therefor.

MAILING ADDRESS OF SENDER:

SCHWEGMAN, LUNDBERG, WOESSNER, & KLUTH, P.A.  
P.O. BOX 2938  
Minneapolis, MN 55402

Atty Docket No: 1133.029US1

PATENT NO. 6,996,429

No. of additional copies



1000 - 1000